



Bid Form

October 10, 2017

Customer Order No.: SBRH 05754

Honorable Board of Trustees
Central Unified School District
4605 N. Polk Ave
Fresno, CA 93722

BusWest respectfully submits for your consideration our bid to supply 9 complete 84 pax passenger school buses as follows:

Chassis Make: Thomas	Model: CHSY	Model Year: 2018
Wheelbase: 277"	Engine: Cummins ISL	Horsepower: 300
Body Make: Thomas	Model: Saf-T-Liner HDX	Capacity: 84 pax
Transmission: Allison 3000 PTS		

Delivery Date: 180-210 Days after receipt of order

Subject to Prior Sale: No

Cash Purchase Price (each):	\$ 181,300.00
Doc Fee:	\$ 65.00
Sales Tax @: 7.975%	\$ 14,463.86
CA. Tire Tax: \$1.75 ea. tire	\$ 10.50
* DDC/EPA Bus Replacement: (Subject to TBB Approval)	\$ (63,455.00)
Total	\$ 132,384.36

* Proof of engine destruction on replaced bus MUST be provided; to include crushed certificate, crushed unit information (i.e., model year, manufacturer, registration, VIN), and photographs.

We have examined the detailed minimum specifications established by the school board and guarantee this bid to be in accordance thereto. Above price includes all dealer prep., pre-delivery service, necessary lettering, F.O.B. school district and documentation fee.

Darren Salo, Sales Representative

Quote is good for thirty (30) days

Quote No.: 335117

Carson – Main Headquarters

21107 South Chico St. Carson, CA. 90745
Sales Toll Free: (800) 458-9199 Main: (310) 984-3900 Fax: (310) 984 -3996
Parts Toll Free: (866) 707-7800 Fax: (310) 984-3994
www.buswest.com

Sacramento

210 North East St., Woodland, CA. 95776
Main: (424) 210-3020

Fresno

4337 North Goldenstate Ste#101, Fresno, CA 93609
Main: (559) 277-0118



Customer Quotation

Prepared For:
 Central Unified School District
 4605 N. Polk Ave
 Fresno, Ca 93722

Prepared By :
 BusWest
 21107 S. Chico St.
 Carson, CA 90745

Quote Number:
 335117

Quote Date:
 10/9/2017

Customer Order No:
 SBRH 05751

Model Profile: Saf-T-Liner HDX 141YS

Product Type: School Transportation
Year: 2018
Chassis Model: CHSY
Chassis MFG: THOS
GVWR: 37,600
Passenger Capacity: 84 pax
Headroom: 78
Wheelbase: 277
Brake Type: AIR W/REAR AIR SUSPENSION (23K)
Engine Type: CUMMINS ISL300 DIESEL, 6 Cyl, 300 HP, 2200 RPM
Fuel Type: DIESEL
Fuel Tank Capacity: 100
Transmission Type: ALLISON 3000 PTS TRANSMISSION - CUMMINS ISL-300 (HDX) 2013
Axle, Front: 14600-lb Capacity
Axle, Rear: 23000-lb Capacity
Tires, Front: BRIDGESTONE - 12R22.5 16PLY R268
Tires, Rear: BRIDGESTONE - 12R22.5 16PLY R268
Suspension Front: SPRING
Suspension Rear : HENDRICKSON "COMFORT AIR" SINGLE AXLE AIR SUSPENSION-23K AXL

**Detailed Specification Attached*

Options included in this quote:

- Strobe Light
- 4-head Seon Camera

CUSTOMER ORDER APPROVAL

Customer Signature:** _____ **Date:** _____

New bus(es) Info:

Name on bus: Central Unified School District

Bus Number(s): 3, 15, 29, 31, 35, 37, 39, 64, 65 **CA Number:** CA50975

**** I have reviewed the quote detail for accuracy and I agree to order the bus(es) as listed.**

Includes the Following Equipment:**BODY****ACCESSORIES**

- 1 DRIVER'S STORAGE BOX LOCATED OVER DRIVER'S WINDOW (HDX)
- 1 SUN VISOR - CALIFORNIA
- 1 PROP ROD - ACCESS DOOR ABOVE WINDSHIELD
- 1 LUGGAGE COMPARTMENT - THROUGH, DELUXE, 125"

CERTIFICATION/SAFETY

- 1 FIRE EXTINGUISHER - 5 LB.
- 1 KIT - FIRST AID, 24 UNIT, COMPLIES W/CALIFORNIA STATE SPECS
- 1 KIT - BODY FLUID CLEAN-UP, COMPLIES W/NAT MINIMUM STANDARDS
- 1 REFLECTORIZED TRIANGLES-(3) ON DRIVER'S COMPARTMENT FLOOR
- 1 CROSSVIEW MIRROR INCLUDED IN REARVIEW MIRROR ASSEMBLY
- 1 ROSCO INTEGRATED STYLE - REMOTE CONTROL HEATED MIRROR
- 1 SIGN-STOP,ELECTRIC LED REAR SE1-7970
- 1 ROOF HATCH-SPEC PROLO GRAY (W/BUZZER FEATURE),ENGLISH (2)
- 1 SPECIAL DATA LABEL(S) - CALIFORNIA
- 1 LABEL - U.S. CERTIFICATION
- 1 APPLICATION - SCHOOL
- 1 LABEL-GHG CERTIFICATION ENGLISH

DOORS

- 1 EXTERIOR DOOR HANDLE
- 1 RIGHT SIDE DOOR - NONE
- 1 24" SIDE EMERGENCY DOOR LS
- 1 VANDALOCK - AIR-OPERATED OUTWARD OPENING ENTRANCE DOOR
- 1 VANDALOCK - SIDE EMERGENCY DOOR WITH INTERLOCK & BARREL BOLT
- 1 VANDALOCK - REAR PUSHOUT WINDOW, WITH DAVENPORT SHELF
- 1 CYLINDER LOCK-LUGGAGE COMPARTMENT DR (4)-THRU,DEL 95"/125"
- 1 LOCKABLE LATCHES FOR SIDE ENGINE ACCESS DOORS
- 1 STEPWELL GUARD (HDX)

ELECTRICAL - BODY

- 1 TWO(2)DEFROSTER FANS MOUNTED OVER CENTER WINDSHIELD
- 1 BACKING ALARM - 87-112DB
- 1 PRE-WIRE FOR CUSTOMER INSTALLED 2-WAY RADIO/VIDEO CAMERA
- 1 GPS - ZONAR SYSTEM, HDX
- 1 CELLULAR PHONE POWER OUTLET REAR WALL OF SWITCH CABINET
- 1 PREMIUM SPEAKERS - EIGHT (8)
- 1 RADIO - AM/FM DEA510 DELPHI, TRANSIT W/PAGE
- 1 BREAKERS - MANUAL RESET
- 1 COURTESY LIGHT - EXTERIOR ELECTRICAL ACCESS DOOR
- 1 COMPARTMENT LIGHTS(6)-69"/95"/125" THROUGH,DELUXE COMPART
- 1 PILOT LIGHT, 1"
- 1 PILOT LIGHT/BUZZER
- 1 BUZZER/SWITCH
- 1 DOME LIGHTS - LED
- 1 DOME LIGHTS WIRED TO BATTERY
- 1 LED DRIVER'S DOME LIGHT
- 1 DOME LIGHT SWITCH
- 1 STEP LIGHT SWITCH (IGNITION ON)
- 1 7" LED DIRECTIONAL LIGHTS - FRONT
- 1 LAMPS-STOP/TAIL/DIRECTIONAL AMBER/REVERSE LED
- 1 LAMPS-STOP/TAIL 4"FLUSH-MOUNT LED
- 1 LAMPS-4" BACKUP LED
- 1 LAMPS-LICENSE PLATE ILLUMINATION LED - ONE (1)
- 1 DIRECTIONAL LIGHTS - SIDE, AMBER, LED
- 1 EXTENDED LENGTH WARNING LIGHT VISORS (CALIFORNIA)
- 1 LED WARNING LIGHTS - FOUR (4) AMBER AND FOUR (4) RED LENS
- 1 HALOGEN 8-LIGHT WARNING SYSTEM
- 1 ID LAMPS - LED
- 1 MARKER LAMPS - LED
- 1 MID-MARKER LAMPS - LED
- 1 CLUSTER/MARKER LIGHTS SWITCH - CONNECTED TO BATTERY
- 1 FOG LIGHTS - TWO (2) QUARTZ HALOGENS IN ABS BLACK CASINGS
- 1 NOISE SUPPRESSION SWITCH

- 1 LUGGAGE COMPARTMENT LIGHT SWITCH (2) THRU, DELUXE, 95"/125"
- 1 BATTERY HOLD DOWN BRACKET - STANDARD 3 BATTERY
- 1 BATTERY BOX - STANDARD

EXTERIOR

- 1 GAS SPRINGS - EIGHT (8)
- 1 AIR HORN - BENEATH FLOOR
- 1 COVER LOCK
- 1 LOCK - BATTERY BOX DOOR
- 1 20 GAUGE SMOOTH SIDE SHEETS
- 1 BRACKET - MOUNTING, LICENSE PLATE, FRONT
- 1 SEALING, EXTERIOR JOINT EDGE
- 1 MUD FLAPS - FRONT, RUBBER, 15"W WITH LOGO
- 1 REAR RUBBER MUD FLAPS 22.5W W/LOGO
- 1 BUMPER - REAR, ANTI-RIDE
- 1 FENDERETTES - FOUR (4)

HVAC

- 1 CONSTANT TORQUE CLAMPS - STANDARD HEATER
- 1 HEATER SHUT-OFF VALVES - BALL TYPE - ENGINE COMPARTMENT
- 1 50,000 BTU HEATER - 7TH SECTION LEFT SIDE
- 1 SERIES HEATER CONNECTION - REAR HEATER ONE(1)
- 1 CONSTANT TORQUE CLAMPS - ONE (1) REAR UNDERSEAT HEATER
- 1 SIDE DOOR RAMP OVER HEATER HOSE
- 1 MCC AC-10W523 106,000/120,000 BTU SYSTEM - GEN V FREE BLOW
- 1 EVAPORATOR COVER COLOR - GRAY
- 1 REFRIGERANT TYPE - R-134A
- 1 CHASSIS A/C KIT - 05K, 270 AMP ALTER, CUMMINS ISL (HDX)

INTERIOR

- 1 BLACK KORSEAL STEP TREADS-O/O ENTRANCE DOOR, 15"STEP(HDX)
- 1 STEP RISER COVER - FRONT ENTRANCE DOOR
- 1 ENTRANCE DOOR STEPWELL - 15" DEEP FIRST STEP
- 1 ALUMINUM AISLE STRIPS
- 1 BLACK KOROSEAL FLOOR COVERING WITH 13" CENTER AISLE
- 1 PLYWOOD FLOOR - 5/8" THICKNESS
- 1 MIRROR - INTERIOR 6" X 30" BACK UP CAMERA
- 1 78" HEADROOM
- 1 ACOUSTIC HEADLINING - COMPLETE WITH POLYESTER INSULATION
- 1 ASSIST RAIL - EXTRA, OUTWARD OPENING ENTRANCE DOOR
- 1 BODY ADJUSTMENT-INTEG LAP&SHLD DAVEN F/DIESEL ENGINE - HDX

MISC

- 1 PDI IDENTIFIER
- 1 BODY ADJUSTMENT-HDX 2010 EPA
- 1 BODY ADJUSTMENT-HDX 2013 EPA
- 1 SAF-T-LINER HDX

PAINT/LETTERING

- 1 DECAL-UNITED AUTO WORKERS
- 1 PAINT STANDARD SASH FLAT BLACK
- 1 DELETE BLACK EYES
- 1 DECAL - ENGINE DOOR "STOP WHEN RED"
- 1 LABEL - DIESEL EXHAUST FLUID (DEF) - ENGLISH
- 1 LETTERING "SCHOOL BUS" FRONT HOOD
- 1 LETTERING "SCHOOL BUS" REAR HOOD
- 1 LABEL - 2010 EPA EXHAUST REGENERATION - ENGLISH
- 2 YELLOW REFLEXITE-PERIMETER OF PUSHOUT SASH (28.5" HIGH SASH)
- 1 YELLOW REFLEXITE - PERIMETER OF EMERG DOOR, 24" W (78" HR)
- 1 YELLOW REFLEXITE - PERIMETER OF REAR PUSHOUT WINDOW
- 1 REFLECTIVE TAPE-ROOF HATCH WHITE(2)
- 1 PAINT-EXTERIOR ROOF WHITE 6"
- 1 PAINT-EXT WDO AREA SAME AS BODY
- 1 PAINT-EXT GRD RAIL @ WINDOW BLACK
- 1 PAINT-EXT GRD RAIL @ SEAT BLACK
- 1 PAINT-EXT GRD RAIL @ FLOOR BLACK
- 1 PAINT-EXT GRD RAIL @ SKRT BLACK
- 1 PAINT-EXT BUMPERS FRT/RR BLACK
- 1 PAINT-SOLID COLOR YELLOW

SEATS

- 1 ELR SHOULDER BELT/ALR LAP BELT FOR DRIVER
- 1 KICK PLATE/MODESTY PANEL-39"VERT, WALL-MTD BARRIER,RT SIDE
- 1 KICK PLATE/MODESTY PANEL-39"VERT, WALL-MTD BARRIER,LT SIDE
- 1 39" BARR-VERT,WALL MT 45"H RS 2009
- 1 39"8DEG BARR-REV. WALL-MT 45"H 2009
- 2 COLONIAL BLUE UPHOLSTERY-45"HIGH RECESSED BARRIER
- 1 BACK-NATIONAL DRV'S SEAT
- 1 ARMREST NATIONAL DRVR'S ST. BOTH SIDES
- 1 UPH DR.ST.FABRIC BLK NATIONAL
- 1 PEDESTAL-NATIONAL AIR W/2 SHOCKS
- 1 COVER PEDASTAL NATIONAL NONE
- 1 RETAINER NATIONAL DR.ST.BELT NONE
- 1 POUCH-DR.ST.STORAGE NONE
- 1 RISER-DRIVERS SEAT, NATIONAL NONE
- 26 42 OZ COLONIAL BLUE UPHOLSTERY - S3C PASSENGER SEAT
- 1 42 OZ COL BLUE UPH - S3C DAVENPORT
- 11 S3C 39"LS FLEXIBLE 3/2 WALL MOUNT
- 1 S3C 39"LS FLEXIBLE 3/2 FLOOR MOUNT
- 13 S3C 39"RS 3/2 FLEXIBLE WALL MOUNT
- 1 S3C 39"LS 3/2 FLEXIBLE FLIP SEAT
- 1 S3C 39"/39" FLEXIBLE 3/2 DAVENPORT
- 1 S3C WALL MOUNT HARDWARE - TRANSIT
- 1 S3C FLOOR MOUNT HARDWARE - TRANSIT
- 1 S3C FLIP SEAT HARDWARE - TRANSIT

WINDOWS/GLASS

- 1 TINTED TEMPERED GLASS - COMPLETE (28.5" HIGH ALUM SPLT SASH)
- 1 TINTED WINDSHIEDL WITH 5" BAND FOR MVP-ER, ER TRANSIT
- 1 TINTED TEMPERED PUSHOUT-LEFT SIDE,VERTICAL HINGE
- 1 TINTED TEMPERED PUSHOUT-RIGHT SIDE,VERTICAL HINGE
- 1 TINT TEMP GLASS-COMP (28.5")
- 1 WINDOW STOPS (12")

OTHER

- 1 SLIDE STOP NATIONAL DR.ST. NONE

CHASSIS**AXLES AND SUSPENSIONS**

- 1 AAC FRONT AXLE - 14,600 LB. VERSUS STANDARD
- 1 AXLE - REAR, DANA 22060S, 4.88 RATIO
- 1 SYNTHETIC LUBE STD W/AXLE
- 1 SYNTHETIC LUBE STANDARD W/FRONT AXLE
- 1 FRONT SUSPENSION CAPACITY - 14,600 LB.
- 1 HENDRICKSON "COMFORT AIR" SINGLE AXLE AIR SUSPENSION-23K AXL

BRAKES

- 1 ANTILOCK BRAKES - MERITOR/WABCO (HDX)
- 1 AIR ANTI-LOCK DISC BRAKES
- 1 PARKING BRAKE INTERLOCK

CHASSIS EQUIPMENT

- 1 SOLENOID OPERATED AIR RESERVOIR DRAINS
- 1 ADJUSTABLE PEDAL SYSTEM - HDX
- 1 100 GALLON FUEL TANK, BETWEEN THE RAILS, RIGHT HAND FILL
- 1 CHASSIS FRAME RAIL - REG. STRENGTH (50KSI) HDX (277"WB)
- 1 TOW HOOKS, FRONT - TWO (2)

ELECTRICAL - CHASSIS

- 1 LEECE-NEVILLE 270 AMP ALTERNATOR- PAD MOUNTED - HDX
- 1 TRIPLE 12-VOLT GROUP 31 BATTERIES - HDX
- 1 CIRCUIT BREAKERS-MANUAL RESET - HDX
- 1 AMMETER, 300 AMP, DASH-MOUNTED (HDX)
- 1 SOLID STATE ELECTRONIC FLASHER FOR HAZARD LIGHTS

ENGINE AND EQUIPMENT

- 1 AIR DRYER - BENDIX AD9 WITH HEATER - HDX
- 1 EXHAUST BRAKE - HDX, CUMMINS ISL
- 1 CRUISE CONTROL - HDX (CUM ISL)
- 1 VEHICLE SPEED LIMITING(70 MILES PER HOUR SETTING)

- 1 FUEL/WATER SEPARATOR WITH HEATER - CUMMINS ISL
- 1 CUMMINS ISL-300 ENGINE (HDX) 2013 EPA
- 1 MULTI-FUNCTION GAUGE-REAR PANEL HDX
- 1 CUMMINS 2017 MODEL YEAR

TRANSMISSION AND EQUIPMENT

- 1 ALLISON 3000 PTS TRANSMISSION - CUMMINS ISL-300 (HDX) 2013
- 1 ALLISON FUEL SENSE-BASIC, DSS MED

WHEELS AND TIRES

- 6 BRIDGESTONE - 12R22.5 16PLY R268
- 1 HUB-PILOTED WHEELS - 23K (HDX)22.5
- 2 ALCOA DURABRITE FRONT WHEELS POLISHED 8.25X22.5(HUB PILOTED)
- 4 ALCOA DURABRITE REAR WHEELS POLISHED 8.25X22.5(HUB PILOTED)

Meets all FMVSS requirements in effect at the time of manufacture.